#### RECEIVED CENTRAL FAX CENTER

JUN 2 5 2008

PATENT APPLICATION

HEWLETT-PACKARD COMPANY Intellectual Property Administration P.O. Box 272400 Fort Collins, Colorado 80527-2400

ATTORNEY DOCKET NO.

200312102-1

#### IN THE

UNITED STATES PATENT AND TRADEMARK OFFICE

Confirmation No.: 9177

Application No.: 10/789,963

Examiner: YOON, Tae H.

Filing Date:

inventor(s):

February 27, 2004

Radha Sen et al.

Group Art Unit:

1796

Title: A System and Method for Forming a Heat Fusible Microporous Ink Receptive Coating

Mail Stop Appeal Brief-Patents Commissioner For Patents PO Box 1450 Alexandria, VA 22313-1460

TRANSMITT	Δì	OF	APPE	AL	BRIEF
TRANSMILL	AL	UL	MEL		

Transmitted herewith is the Appeal Brief	in this application with res	spect to the Notice of App	peal filed onApril 29, 2008	<b>-</b> `
The fee for filing this Appeal Brief is	\$510.00 (37 CFR 41.20).			
No Additional Fee Required.	(complete (a) or (b) a			
The proceedings herein are for a patent	application and the provis	sions of 37 CFR 1.136(a)	apply.	
(a) Applicant petitions for an extens months checked below:	ion of time under 37 CFF	R 1.136 (fees: 37 CFR 1	.17(a)-(d)) for the total number (	וכ
1st Month \$120	2nd Month \$460	3rd Month \$1050	4th Month \$1840	
☐ The extension fee has already be	een filed in this application	). 	-was in home made to provide f	or
The extension rea has already by  Applicant believes that no extens the possibility that applicant has				
Please charge to Deposit Account 08- please charge any fees required or Additionally please charge any fees to	2025 the sum of \$ 51 credit any over paymen Deposit Account 08-202	to Deposit Account 00 5 under 37 CFR 1.16 thi	ng the pendency of this application in the pendency of this application in the second representation and the second representation in the second representation representat	25. her

X A duplicate copy of this transmittal letter is enclosed.

sections in Title 37 of the Code of Federal Regulations that may regulate fees.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mall in an envelope addressed to: Commissioner for Patents, Alexandria, VA 22313-1450 Date of Deposit:

 I hereby certify that this paper is being transmitted to the Patent and Trademark Office facsimile number (571)273-8300.

Date of facsimile: June 25, 2008

Typed Name:

Signature

Respectfully submitted,

Radha S

Steven L. Nichols

Attomey/Agent for Applicant(s)

Reg No. :

40,326

Date:

Juna 25, 2008

Telephone:

801-572-8088

Rev 10/07(ApiBrief)

# DUPLICATE

#### RECEIVED CENTRAL FAX CENTER

JUN 2 5 2008

PATENT APPLICATION

40,326

June 25, 2008

801-572-8066

Reg No.:

Telephone:

Date:

HEWLETT-PACK/ Intellectual Prope P.O. Box 272400 Fort Collins, Colo	rty Administration	IN THE	ATTORNEY DOCKET NO.	200312102-1
,	uwren et	ATES PATENT AND TE	RADEMARK OFFICE	
		ALES FAILER AND	Confirmation No.: 91	77
inventor(s):	Radha Sen et al.		Examiner: YOON, Ta	e H.
Application No.				96
Filing Date:	February 27, 2004		Oloup int - int	
Title: A System	and Method for Forming	a Heat Fusible Microporc	ous ink Receptive Coating	
Commissioner PO Box 1450				
Alexandria, VA	22313-1460	TRANSMITTAL OF APPI	EAL BRIEF	
		this are lighting with respe	ct to the Notice of Appeal file	ed on April 29, 2008 .
Ine fee for	filing this Appeal Brief is \$5	510.00 (37 CFR 41.20).		•
No Addition	net Fee Required.		lieship\	
		(complete (a) or (b) as a		
The proceeding	gs herein are for a patent a	pplication and the provision	s of 37 CFR 1.136(a) apply	•
(a) Applicate months	nt petitions for an extensio checkéd below:	n of time under 37 CFR 1.	136 (fees: 37 CFR 1.17(a)	-(d)) for the total number of
	1st Month \$120	2nd Month \$460	3rd Month [	4th Month \$1840
☐ The exit	ension fee has already bee	n filed in this application.		
(b) Applicat	nt believes that no extensional that applicant has included	n of time is required. Howe advertently overlooked the r		is being made to provide for or extension of time.
Please charge	to Deposit Account 08-20	25 the sum of \$ 510	At any time during the Deposit Account 08-2025 ader 37 CFR 1.16 through	pendency of this application, pursuant to 37 CFR 1.25. 1.21 inclusive, and any other
🔀 A duplicate	copy of this transmittal let	ter is enclosed.		
deposite clasa me Commis	y certify that this correspond with the United States Post ail in an envelope addressed to sloner for Patents, Alexandria	i:	Respectfully submitted, Redna Senerali. By	
Date of			Steven L. Nichols	
	OR	ing transmitted to	Attorney/Agent for Applica	ant(s)
X    hereby the Pal	y centify that this paper is be tent and Trademank Office	facsimile number	Ros No : 40 326	•

Rev 10/07(Ap/Bn@f)

Signature:

(571)273-8300.

Date of facsimile: June 25, 2008

## **CENTRAL FAX CENTER**

JUN 2 5 2008

RECEIVED

Attorney Docket No.: 200312102-1 Application No.: 10/789,963

## **Certificate of Transmission**

I hereby certify that this correspondence is being facsimile transmitted to the Commissioner for Patents via the USPTO central facsimile number, (571) 273-8300.

June 25, 2008

Carla L. Jones Typed or printed name of person signing Certificate

## Transmitted, herewith, are the following documents:

- 1. Transmittal Letter for Response/Amendment with Duplicate Copy (2 pages)
- 2. Certificate of Transmission (1 page)
- 3. Appeal Brief (32 pages)

10/789,963

RECEIVED
CENTRAL FAX CENTER

JUN 2 5 2008

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Patent Application of

Radha Sen et al.

Application No. 10/789,963

Filed: February 27, 2004

For: A System and a Method for Forming a Heat Fusible Microporous Ink

Receptive Coating

Group Art Unit: 1796

Examiner: YOON, Tae H.

Confirmation No.: 9177

#### APPEAL BRIEF

Mail Stop Appeal Brief - Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is an Appeal Brief under Rule 41.37 appealing the decision of the Primary Examiner dated March 6, 2008 (the "final Office Action"). Each of the topics required by Rule 41.37 is presented herewith and is labeled appropriately.

10/789,963

RECEIVED
CENTRAL FAX CENTER

JUN 2 5 2008

## I. Real Party in Interest

The real party in interest is Hewlett-Packard Development Company, LP, a limited partnership established under the laws of the State of Texas and having a principal place of business at 20555 S.H. 249 Houston, TX 77070, U.S.A. (hereinafter "HPDC"). HPDC is a Texas limited partnership and is a wholly-owned affiliate of Hewlett-Packard Company, a Delaware Corporation, headquartered in Palo Alto, CA. The general or managing partner of HPDC is HPQ Holdings, LLC.

10/789,9 RECEIVED
CENTRAL FAX CENTER
JUN 2 5 2008

## II. Related Appeals and Interferences

There are no appeals or interferences related to the present application of which the Appellant is aware.

18015727666

200312102-1

10/789,963 RECEIVED CENTRAL FAX CENTER JUN 2 5 2008

### III. Status of Claims

Claims 26-45 and 59-70 were withdrawn from consideration under a previous Restriction Requirement and cancelled without prejudice or disclaimer. Claims 1-25, 46, 47, 50, 54 and 73-79 were also cancelled previously without prejudice or disclaimer.

Thus, claims 48, 49, 51-53, 55-58, 71, 72 and 80-90 are currently pending in the application and stand finally rejected. Accordingly, Appellant appeals from the final rejection of claims 48, 49, 51-53, 55-58, 71, 72 and 80-90, which claims are presented in the Appendix.

10/789,963 RECEIVED CENTRAL FAX CENTER

JUN 2 5 2008

## IV. Status of Amendments

No amendments have been filed subsequent to the final Office Action of March 6, 2008, from which Appellant takes this appeal.

10/789,963

RECEIVED
CENTRAL FAX CENTER
JUN 2 5 2008

## V. Summary of Claimed Subject Matter

Appellants' sole independent claim recites the following:

48. A print medium having a microporous coating comprising:

a substrate (112) which serves as a base of said print medium (Appellant's specification, paragraph 0018);

a first microporous layer (114) comprising a first binder deposited as a liquid on said substrate (Appellant's specification, Fig. 1 and paragraphs 0018 and 21); and

a fusible latex layer (150) deposited over said first microporous layer (114)

(Appellant's specification, Fig. 1 and paragraph 0021), wherein said fusible latex layer

(150) is microporous and includes particles comprising a hard core material and a soft shell material (Appellant's specification, paragraph 0021);

wherein said latex (150) exhibits self-adhesive properties at a room temperature such that said latex layer (150) remains in place on said first microporous layer (114) without requiring a second binder and without being fused (Appellant's specification, paragraphs 0004 and 0026).

18015727666

200312102-1

10/789,963 RECEIVED CENTRAL FAX CENTER

JUN 2 5 2008

## VI. Grounds of Rejection to be Reviewed on Appeal

The final Office Action raised the following grounds of rejection.

- (1) Claims 48, 49, 51-53, 55-58, 71, 72 and 80-90 were rejected under 35 U.S.C. § 112, first paragraph, as failing to comply with the written description requirement.
- (2) Claims 48, 49, 51-53, 55-58, 71, 72 and 80-90 were rejected under 35 U.S.C. § 112, second paragraph, as being indefinite.
- (3) Claims 48, 49, 51-53, 55, 57, 58, 71, 72 and 80-90 were rejected under 35 U.S.C. § 102(e) as anticipated by of U.S. Patent No. 7,086,732 to Kasperchik et al. ("Kasperchik").
- (4) Claims 48, 49, 51-53, 55, 57, 58, 71, 72, 80 and 86-89 were rejected under 35 U.S.C. §103(a) as being unpatentable over Kasperchik, taken alone.

According, Appellant hereby requests review of each of these grounds of rejection in the present appeal.

CENTRAL FAX CENTER JUN 2 5 2008

#### VII. Argument

Claims 48, 49, 51-53, 55-58, 71, 72 and 80-90 comply with the written description requirement of 35 U.S.C. § 112, first paragraph:

According to the final Office Action, the claims are not supported by a written description in the specification as originally filed "since newly recited 'deposited as a liquid on [said] substrate' does not have support in [the] originally filed specification. Appellant points to PP 0021, but the examiner does not see any support for the amendment" to the claims. (final Office Action, p. 2). Appellant respectfully disagrees.

As an initial matter, Appellant would like to point out that a "written description" in the specification supporting a particular claim need not be a verbatim recitation of the claim language. Rather, as explained in MPEP § 2163.02, the necessary written description can be provided "using such descriptive means as words, structures, figures, diagrams, and formulas." Lockwood v. American Airlines, Inc., 107 F.3d 1565, 1572, 41 USPQ2d 1961, 1966 (Fed. Cir. 1997).

In the present application, claim 48 recites:

A print medium having a microporous coating comprising:

a substrate which serves as a base of said print medium;

a first microporous layer comprising a first binder deposited as a liquid on

a fusible latex layer deposited over said first microporous layer, wherein said said substrate; and fusible latex layer is microporous and includes particles comprising a hard core material and a soft shell material;

wherein said latex exhibits self-adhesive properties at a room temperature such that said latex layer remains in place on said first microporous layer without requiring a second binder and without being fused.

(Emphasis added).

The subject matter at issue in this rejection is highlighted in claim 48 above. This subject matter is supported in Appellant's originally filed application as follows.

200312102-1

Firstly, Fig. 1 clearly shows the microporous layer (114) being deposited as a liquid on a substrate (112). This alone is adequate written description supporting claim 48.

Additionally, Appellant's specification, as pointed out to the Examiner previously, states the following.

The ink receptive medium (110) illustrated in Figure 1 is configured to receive a hard core/soft shell latex coating and a recording agent. As shown in Figure 1, the ink receptive medium (110) may include, but is in no way limited to a photo or film base (112) having a microporous substrate (114) disposed thereon. According to one exemplary embodiment, the photo or film base (112) may include any photo base or paper base material. Additionally, according to one exemplary embodiment, the present hard core/soft shell latex coating may be coated on a previously coated latex lattice. As shown in Figure 1, a microporous substrate (114) is disposed on the photo or film base (112) immediately preceding the deposition of the hard core/soft shell latex (150), according to a wet on wet configuration. The microporous substrate (114) may be any material configured to receive a recording agent including, but in no way limited to, a microporous inorganic composition such as fumed silica, colloidal silica, fumed aluminum, or colloidal aluminum; calcium carbonate; polymeric membrane, a plastic pigment; or a previously coated latex lattice. (Appellant's specification, paragraph 0021) (emphasis added).

Thus, paragraph 0021 clearly states that the microporous substrate and latex are deposited sequentially "according to a wet on wet configuration," i.e., both are deposited in wet, liquid form. One of ordinary skill in this art would clearly understand that a wet on wet deposition, which is a term of art, refers to sequential deposition in liquid form.

Consequently, claim 21 also gives the necessary written description in the original specification for the recitation in claim 48 of "a first microporous layer comprising a first binder deposited as a liquid on said substrate." (Emphasis added).

Therefore, the rejection of Appellant's claims under 35 U.S.C. § 112, first paragraph, should not be sustained.

200312102-1

(2) Claims 48, 49, 51-53, 55-58, 71, 72 and 80-90 comply with 35 U.S.C. § 112, second paragraph:

The final Office Action mentions a number of reasons for objecting to the claims under § 112, second paragraph. None of these reasons have any merit and some do not even properly allege an instance of indefiniteness under § 112.

(1) The final Office Action argues that "[i]t is unclear whether said deposited liquid stays as a liquid or not on said substrate, and thus claims are indefinite." (final Office Action, p. 3). It is entirely unclear how this creates any indefiniteness.

As noted above, claim 48 recites "a first microporous layer comprising a first binder deposited as a liquid on said substrate." Thus, if the first microporous layer is deposited as a liquid, it reads on that portion of claim 48. Whether the layer then stays indefinitely in liquid form is not addressed by, or at issue, with respect to claim 48. Therefore, this particular objection raised by the Examiner is entirely without merit and is *not* an instance of indefiniteness. Consequently, this portion of the rejection under 35 U.S.C. § 112, second paragraph, should not be sustained.

(2) The final Office Action next argues that "[t]he recited preamble, 'The microporous coating of ---', in claims 49, 50-53, 55-58, 71, 72 and 80-90 lack a proper antecedent basis in claim 48 wherein 'A print medium' is claimed now." (final Office Action, p. 3). In response, Appellant notes that the Examiner has failed to accurately and completely quote the preamble of claim 48. Claim 48 recites: "A print medium having a microporous coating comprising ...." (Emphasis added). Thus, claim 48 clearly provides antecedent basis for the dependent claims which specify further details of the "microporous coating" recited in claim 48. Consequently, this portion of the rejection under 35 U.S.C. § 112, second paragraph, should not be sustained.

#### 200312102-1

- indefinite since they recited polymers (such as polystyrene) for a core material and monomers (such as n-ethylhexylacrylate) for a shell material. Consistency is needed." (final Office Action, p. 3). This position is unreasonable on its face. Appellant is unaware of any rule that prohibits reciting different types of materials for different components of a composition.

  Moreover, Appellant fails to see how the claims are in any way inconsistent. Thus, the basis for the Examiner's rejection here is entirely unclear. However, there clearly is no indefiniteness with respect to the rejected claims. Consequently, this portion of the rejection under 35 U.S.C. § 112, second paragraph, should not be sustained.
  - (4) Finally, the final Office Action argues that the "recited 'said shell material comprises a coalescing agent' in claim 90 is confusing and indefinite since said coalescing agent is a solvent as taught by Kasperchik ... and a solvent cannot form a shell." (final Office Action, p. 3). Again, this position is unreasonable and entirely without merit.

Appellant does not believe that the cited prior art to Kasperchik requires that a coalescing agent must be a solvent. However, whatever the prior art may say on this subject is largely irrelevant as Appellant has the right to define "coalescing agent" for purposes of the present application and claims. Lear Siegler, Inc. v. Aeroquip Corp., 733 F.2d 881, 888-89, 221 U.S.P.Q. 1025 (Fed. Cir. 1984). Appellant's specification defines a coalescing agent as an agent that is able to "effectively lower the Tg of the shell for soft shells having a higher than process temperature Tg." (Appellant's specification, paragraph 0041). Appellant's specification then gives specific examples of the claimed coalescing agent. (Id.).

This definition for Appellant's specification informs the recitation of a "coalescing agent" in the claims. Therefore, the allegation of indefiniteness with respect to claim 90 is

200312102-1

entirely without merit. Consequently, this portion of the rejection under 35 U.S.C. § 112, second paragraph, should not be sustained.

# Claims 48, 49, 51-53, 55, 57, 58, 71, 72 and 80-90 are not anticipated by Kasperchik: Claim 48:

In the present application, claim 48 recites:

A print medium having a microporous coating comprising:

a substrate which serves as a base of said print medium;

a first microporous layer comprising a first binder deposited as a liquid on said

a fusible latex layer deposited over said first microporous layer, wherein said substrate; and fusible latex layer is microporous and includes particles comprising a hard core

wherein said latex exhibits self-adhesive properties at a room temperature such material and a soft shell material; that said latex layer remains in place on said first microporous layer without requiring a second binder and without being fused. (Emphasis added).

In contrast to claim 48, the final Office Action does not indicate how or where Kasperchik teaches the claimed "first microporous layer comprising a first binder deposited as a liquid on said substrate." It is incumbent upon the Examiner to identify where in the reference each element may be found. Ex parte Levy, 17 U.S.P.Q.2d 1461 (BPAI 1990). Consequently, when the Examiner fails to identify a claimed element, the Examiner has failed to establish a prima facte case of anticipation. For at least this reason, the rejection of claim 48 and its dependent claims should not be sustained.

Additionally, Kasperchik does not appear to anticipate the claimed fusible latex layer "wherein said latex exhibits self-adhesive properties at a room temperature such that said latex layer remains in place on said first microporous layer without requiring a second binder and without being fused." The final Office Action equates the claimed fusible latex layer with a "color-receiving layer 8" taught by Kaspercik. (final Office Action, p. 4.).

200312102-1

However, in direct contrast to independent claim 48, Kasperchik teaches that the color-receiving layer may include a binder. According to Kasperchik,

The colorant-receiving layer 8 may also include a small amount of polymer binder to bind the core-shell polymer particles 10 into a layer. The polymer binder in the colorant-receiving layer 8 may be one of the polymer binder materials described above for use in the vehicle sink layer 6. For instance, the polymer binder may be a water-soluble or water-dispersible polymer such as gelatin, polyvinyl pyrrolidone, a water-soluble cellulose derivative, polyvinyl alcohol or its derivatives, polyacrylamide, polyacrylic acid, or a water-soluble acrylic acid co-polymer. Preferably, the polymer binder of the colorant-receiving layer 8 is polyvinyl alcohol or a water-soluble or water-dispersible derivative thereof. The amount of polymer binder present in the colorant-receiving layer 8 may be sufficient to bind the core-shell polymer particles together without blocking the pores between the core-shell polymer particles 10. (Kasperchik, col. 6, lines 49-64).

Thus, Kasperchik does not appear to anticipate the claimed subject matter in which "said

Thus, Kasperchik does not appear to anticipate the claimed subject matter in which "said

PAGE 16/16 \* RCVD AT 6/25/2008 1:45:10 PM [Eastern Daylight Time] \* SVR:USPTO-EFXRF-4/17 \* DNIS:2738300 \* CSID:18015727666 \* DURATION (mm-ss):11-42